GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Services – Pulivendula Municipality – Allegations against Sri D.Gopal Naidu, the then Assistant Executive Engineer and other 12 staff of Pulivendula Municipality, YSR kadapa District – Departmental enquiry under A.P.Civil Services (CCA) Rules 1991 – Appointment of Sri P. Ananda Rao, Chief Engineer, AP Swatch Andhra Corporation as Inquiry Officer - Orders – Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.III) DEPARTMENT

G.O.RT.No. 113 Dated: 17-03-2021.

Read the following:

G.O.Rt.Nos.896 to 901,903 to 909, 911 to 912 M.A. & U.D. Dept.,dt. 21.12.2017

@@@

O R D E R:

Whereas, Inquiry under Rule-20 of A.P. Civil Services (CC&A) Rules, 1991 is being held against Sri D.Gopal Naidu, the then Assistant Executive Engineer and following Twelve (12) other staff of Pulivendula Municipality, YSR Kadapa District for committing certain irregularities in execution of Under Ground Drainage works executed under Traffic & Transportation Plan.

1. Sri D.Gopal Naidu, the then Asst. Executive Engineer, PH Sub- Divn, Pulivendula.
2. Sri K. Gurrappa Yadav, the then Asst.Executive Engineer, PH Sub – Divn, Pulivendula.
3. Sri I. Ramesh, the then Dy.Executive Engineer, PH QC Sub – Divn, Anantapuramu.
4. Sri N.S.L. Ranganayakulu, the then Asst.Engineer, PH Sub – Divn, Pulivendula.
5. Sri R.Ravi Sankar Naik, the then Asst.Executive Engineer, PH Sub – Divn, Pulivendula.
6. Sri N.Chenna Kesava Reddy, the then Dy. Executive Engineer, PH Sub – Divn, Pulivendula.
7. Sri S.Satish Chandra the then Dy. Executive Engineer, PH Sub- Divn, Pulivendula.
8. Sri T.Mohan, the then Executive Engineer, PH Divn, Kadapa.
9. Sri R.Nagesh Babu, Executive Engineer, PH Division, Kadapa.
10. Sri K.Manmadha Rao, the then Superintending Engineer (PH) (Retired on 31.12.2009).
11. Sri K. Reddy Babu, the then Divisional Accounts Officer (Works) PH Divn, Kadapa.
12. Sri V.Venkateswara Rao, the then Executive Engineer, PH QC Divn(Retired on 31.7.2013).
13. Sri S.Bhaskar Reddy, Executive Engineer

(PTO)

2. Whereas, it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against Sri D.Gopal Naidu, the then Assistant Executive Engineer and other 12 staff members of Pulivendula Municipality, YSR Kadapa District for committing certain irregularities in execution of Under Ground Drainage works executed under Traffic & Transportation Plan.

3. Now, therefore, in exercise of powers conferred by sub-rules (2) of Rule-20 of the said rules, the disciplinary authority hereby appoint of Sri P. Ananda Rao, C.E. AP Swatch Andhra Corporation as an Inquiring Authority to inquire into the charges framed against the above charged officers

4. The Enquiry Officer shall conduct the enquiry as per APCS(CCA) Rules, 1991 and submit his report within three(3) months.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Y.SRILAKSHMI
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
Sri P. Ananda Rao, Chief Engineer, AP Swatch Andhra Corporation & Enquiry officer **through** The Engineer – In- Chief (PH), AP, Tadepalli, Guntur,
Sri R. Rama Mohan Reddy,SE, PH Division, Kurnool & Presenting Officer **through** The Engineer – In- Chief (PH), AP,Tadepalli, Guntur,
The Engineer – In- Chief (PH), AP, Tadepalli, Guntur,
Sri D.Gopal Naidu, the then Assistant Executive Engineer and other 12 Charged Officers, Pulivendula Municipality **through** The Engineer – In- Chief (PH), AP,Tadepalli, Guntur.
Copy to :
The GA (V&E) Department,
The Secretary Vigilance Commission, APVC, AP Secretariat
Sf/Sc

// FORWARDED :: BY ORDER //

SECTION OFFICER